

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S124	35	(gsr, galvanic near2 skin, skin near2 potential) and @ad<"20031118" and (pda cellular (mobile near2 (phone telephone))) and (electrode sensor detector) with (hold grip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2011/12/22 14:57
S123	590	(gsr, galvanic near2 skin, skin near2 potential) and @ad<"20031118" and (pda cellular (mobile near2 (phone telephone)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2011/12/22 14:57
S125	15	("4320767" "4867442" "4938228" "5670944" "5827179" "6100806"). PN. OR ("6549756").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/12/22 15:06
S126	11	S125 and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2011/12/22 15:07
S127	15	("4320767" "4867442" "4938228" "5670944" "5827179" "6100806"). PN. OR ("6549756").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2012/02/08 10:35
S128	11	S127 and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:36
S130	8212	@ad<"20031118" and (pda (personal near2 digital) ((cellular mobile) near2 (phone telephone device)) cellphone) and (sensor electrode) and (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3) and (sensor electrode) with (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:48

S129	20256	@ad<"20031118" and (pda (personal near2 digital) ((cellular mobile) near2 (phone telephone device)) cellphone) and (sensor electrode) and (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:48
S133	3300	@ad<"20031118" and (pda (personal near2 digital) ((cellular mobile) near2 (phone telephone) cellphone) and (sensor electrode) and (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3) and (sensor electrode) with (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3) and (hold\$3 grasp\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:49
S132	183	S131 and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:49
S131	3625	@ad<"20031118" and (pda (personal near2 digital) ((cellular mobile) near2 (phone telephone device)) cellphone) and (sensor electrode) and (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3) and (sensor electrode) with (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3) and (hold\$3 grasp\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:49
S136	44	S135 and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:50

S135	440	@ad<"20031118" and (pda (personal near2 digital) ((cellular mobile) near2 (phone telephone)) cellphone) and (sensor electrode) and (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3) and (sensor electrode) with (gsr (galvanic near2 skin) (skin near2 conduct\$5) temperature sweat\$3) and (hold\$3 grasp\$3) and (pda (personal near2 digital) ((cellular mobile) near2 (phone telephone)) cellphone) with (sensor electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:50
S134	175	S133 and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 10:50
S137	396	S135 not S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 11:25
S139	136	S138 and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 11:41
S138	303	"455".clas. and (gsr galvanic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 11:41
S141	56	S140 and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 11:42
S140	144	"455".clas. and (gsr (galvanic near2 skin) (skin near2 conduct\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 11:42
S142	30	("6450955" "6190314" "20020109621" "6656116" "6616613" "7261690" "20030069728" "0139654" "6881191" "5676138" "5601090" "2339579").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/08 11:53

S145	539	S144 and difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 11:58
S144	1217	S143 and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 11:58
S143	1939	(600/549).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2012/02/09 11:58
S146	34	S144 and (pda (personal near2 digital) ((cellular mobile) near2 (phone telephone)) cellphone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 11:59
S148	1	S147 and difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:01
S147	2	("20070299322").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2012/02/09 12:01
S151	26	S144 and palm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:03
S150	0	S144 and difference with palm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:03
S149	0	S144 and difference with palm with finger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:03
S152	14	S144 and difference and handheld	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:12
S154	239	S153 not S152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:14
S153	251	S144 and difference and hand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:14
S155	395	S144 and difference with temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:18

S156	2	S144 and difference with temperature with finger\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 12:19
S159	49	S158 and difference near4 temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:01
S158	3792	S157 and @ad< "20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:01
S157	8513	((600/300,301) or (128/903-905,920)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2012/02/09 13:01
S160	1	S158 and (choose select) with (signal\$2to\$2noise)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:26
S161	119	S158 and (signal\$2to \$2noise)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:27
S163	37	S158 and stress and finger \$4 and palm and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:32
S162	39	S158 and stress and finger \$4 and palm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:32
S164	28	S158 and strength with signal near4 noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:45
S165	210	S158 and ratio with signal near4 noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:48
S168	29	S166 and (choose select) with (signal\$2to\$2noise)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:49
S167	4098	S166 and ratio with signal near4 noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:49
S166	60639	"600".clas. and @ad< "20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:49

S170	454	S169 not S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:52
S169	458	S166 and ratio with signal near4 noise with (sensor electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:52
S171	102	S166 and noise with strength with (ratio level) same (electrode sensor signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 13:59
S172	110	S166 and noise with strength with (ratio level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 14:26
S173	8	S172 not S171	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/09 14:27
S175	5	S174 and noise	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 00:53
S174	18	(US-20040117212-\$ or US- 20010044318-\$ or US- 20030069728-\$ or US- 20040116822-\$).did. or (US-4190056-\$ or US- 7262703-\$ or US-6190314- \$ or US-6549756-\$ or US- 4332258-\$ or US-4625732- \$ or US-4915116-\$ or US- 6798378-\$ or US-4320767- \$ or US-6616613-\$ or US- 7418255-\$ or US-6141436- \$).did. or (WO-0205702-\$ or US-6141436-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2012/02/10 00:53
S178	937	S176 and signal near2 noise with (sensor electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 00:56
S177	6538	signal near2 noise and S176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 00:56
S176	60639	"600".clas. and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 00:56

S180	7	S176 and signal near2 noise near2 ratio with (sensor electrode) with (select selection choose chose chosen identify identified)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 00:57
S179	445	S176 and signal near2 noise near2 ratio with (sensor electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 00:57
L3	3	l2 and (difference different)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:06
L2	6	((("20040117212") or ("6,549,756") or ("20040167420"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2012/02/10 13:06
L4	2	l2 and (difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:07
L8	7	temperature near4 (difference) same (comfort \$4) and @ad<"20031118" and sensor and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:09
L7	824	temperature near4 (difference) and @ad<"20031118" and sensor and "600".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:09
L6	32050	temperature near4 (difference) and @ad<"20031118" and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:09
L5	111161	temperature near4 (difference) and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:09
L10	78	sensor with temperature near4 (difference) same (comfort\$4) and @ad<"20031118" and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:12
L9	307	temperature near4 (difference) same (comfort \$4) and @ad<"20031118" and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:12
L12	26	(skin hand) and sensor with temperature near4 (difference) same (comfort \$4) and @ad<"20031118" and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:13

L11	3	(skin hand) same sensor with temperature near4 (difference) same (comfort \$4) and @ad<"20031118" and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:13
L14	337	(skin hand) same sensor with temperature near4 (difference) and @ad<"20031118" and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:15
L13	52	l10 not l12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:15
L15	277	(hand) same sensor with temperature near4 (difference) and @ad<"20031118" and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:17
L16	2625	(warm cold warmth temperature temp) with (palm finger hand) same (comfort comfortable grip grasp hold) and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:24
L17	14	(cellphone cellular pda) same (warm cold warmth temperature temp) with (palm finger hand) same (comfort comfortable grip grasp hold) and @ad<"20031118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2012/02/10 13:25

EAST Search History (Interference)

< This search history is empty >

2/ 10/ 2012 1:40:28 PM**C:\ Documents and Settings\ krajan\ My Documents\ EAST\ Workspaces\ 10579329.wsp**